

**Specification (Measurement)**

**Transport and Main Roads Specifications  
MRS218 Vehicle Activated Signs**

**March 2023**

## Copyright

© The State of Queensland (Department of Transport and Main Roads) 2023.

## Licence



This work is licensed by the State of Queensland (Department of Transport and Main Roads) under a Creative Commons Attribution (CC BY) 4.0 International licence.

## CC BY licence summary statement

In essence, you are free to copy, communicate and adapt this work, as long as you attribute the work to the State of Queensland (Department of Transport and Main Roads). To view a copy of this licence, visit: <https://creativecommons.org/licenses/by/4.0/>

## Translating and interpreting assistance



The Queensland Government is committed to providing accessible services to Queenslanders from all cultural and linguistic backgrounds. If you have difficulty understanding this publication and need a translator, please call the Translating and Interpreting Service (TIS National) on 13 14 50 and ask them to telephone the Queensland Department of Transport and Main Roads on 13 74 68.

## Disclaimer

While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained within. To the best of our knowledge, the content was correct at the time of publishing.

## Feedback

Please send your feedback regarding this document to: [tmr.techdocs@tmr.qld.gov.au](mailto:tmr.techdocs@tmr.qld.gov.au)

**Contents**

- 1 Introduction ..... 1**
- 2 Measurement of Works ..... 1**
  - 2.1 Standard Work Items ..... 1
  - 2.2 Work Operations ..... 2
  - 2.3 Method of measurement of Vehicle Activated Sign components ..... 8
  - 2.4 Supply of Materials ..... 8

## 1 Introduction

This Specification applies to the supply and installation of Vehicle Activated Signs for ITS applications associated with the Principal's Traffic Management System.

This Specification shall be read in conjunction with MRS01 *Introduction to Specifications*, MRTS50 *Specific Quality System Requirements*, MRS263 *Standalone Solar (PV) Power Systems* and other Specifications as appropriate.

This Specification forms part of the Transport and Main Roads Specifications Manual.

## 2 Measurement of Works

### 2.1 Standard Work Items

In accordance with the provisions of Clause 2 of MRS01 *Introduction to Specifications*, the Standard Work Items covered by this Specification are listed in Table 2.1.

For Standard Work Items relating to Solar Power and Battery power, refer to MRS263 *Standalone Solar (PV) Power Systems*. For Standard Work Items for Mains Connection, refer to MRS210 *Provision of Mains Power*.

**Table 2.1 – Standard Work Items**

Standard Item No.	Description	Unit of Measurement
<b>Preparation of site</b>		
62901	Survey of site to identify utilities below footpath	each
62902	Develop Site Establishment Plan for installation of Vehicle Activated Sign	each
62903	Design for supply and installation of Vehicle Activated Sign	each
<b>Sign footings</b>		
62931	Supply and Installation of footing for Vehicle Activated Sign pole	each
<b>Guard rails</b>		
62951	Supply and install [qty] metres steel beam guard rail, w beam	m
62952	Supply and install [qty] metres steel beam guard rail, thrie beam	m
62953	Supply and install steel beam guard rail, terminal type [number]	each
62954	Supply and install steel beam guard rail, transition type [number]	each
<b>Sign poles and brackets</b>		
62981	Supply of Vehicle Activated Sign Pole, [length] metres long, [with   without] pole mounted cabinet brackets	each
62982	Installation of Vehicle Activated Sign hinge pole	each
62983	Supply and installation of [hinged] pole, [length] metres long	each
<b>Signs</b>		
63011	Supply of [Type 1   Type 2a   Type 2b   Type 2c   Type 2d   Type 2e   Type 2f   Type 2g   Type 2h   Type 2i   Type 2j   Type 2k] sign and ancillary components	each

Standard Item No.	Description	Unit of Measurement
63012	Installation of [Type 1   Type 2a   Type 2b  Type 2c   Type 2d   Type 2e   Type 2f  Type 2g   Type 2h   Type 2i   Type 2j   Type 2k] sign and ancillary components	each
63013	Supply and Installation of [Type 1   Type 2a   Type 2b   Type 2c   Type 2d   Type 2e   Type 2f   Type 2g   Type 2h   Type 2i   Type 2j   Type 2k] sign and ancillary components	each
<b>Removal of existing equipment</b>		
63091	Removal and salvage of road furniture, as listed in Clause 1.1 or Annexure MRTS14.1	lump sum
63092	Removal of Vehicle Activated Sign pole, [including   not including] sign, [for salvage   for disposal]	each
63093	Removal of Vehicle Activated Sign pole for footing	each

## 2.2 Work Operations

### Item 62901 Survey of site to identify utilities below footpath

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) geographical survey work appropriate to the task
- c) all work associated with the provision of Vehicle Activated Sign including:
- d) Site survey details of the exact location, height and alignment of the Vehicle Activated Sign, including pits and ducts
- e) conduct a thorough visual inspection of the proposed School Zone Sign location that it is clear of obstructions that would prevent oncoming motorists from readily discerning the sign face contents at the required visual range
- f) survey using a mechanism such as ground penetrating Radar to determine location of utilities
- g) all necessary soil tests, and
- h) all work associated with the provision of the Vehicle Activated Sign location details from the survey in the Vehicle Activated Sign Design Drawing, including additional detail such as Transport and Main Roads chainage.

### Item 62902 Develop Site Establishment Plan for Vehicle Activated Sign

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) all work associated with the preparation, submission and amendment (where necessary) of a Site Establishment Plan including relevant management plans such as a project plan, workplace health and safety plan, and site acceptance plan, and
- c) specific safety plan allowance for any work left unattended while children may pass or be present.

**Item 62903      Design for supply and Installation of Vehicle Activated Sign**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) design for all civil earth works and structural components
- c) all work associated with the preparation, submission and amendment (where necessary) of support structure design documentation and drawings for the Vehicle Activated Sign, including all relevant design calculations and certifications
- d) design all work associated with the preparation, submission and amendment (where necessary) of footing design documentation and Standard Drawings for the Vehicle Activated Sign support structure
- e) design the required electrical works
- f) design the required communications and control links, and
- g) design of ITS and associated ITS integration components.

**Item 62931      Supply and Installation of footing for Vehicle Activated Sign pole**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) excavation for footing
- c) disposal of excavated material
- d) provision of formwork, where necessary
- e) supply and installation of anchor cage or rag-bolt assembly, as appropriate
- f) supply and installation of conduit to electrical and/or communications pit, as appropriate
- g) supply, placement, installed and tested and finishing of concrete
- h) stripping formwork and cleaning up, and
- i) disposal of excavated material.

**Item 62951      Supply and install [qty] metres steel beam guard rail, w beam**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply of all materials
- c) fabrication of components
- d) galvanising of components
- e) installation of posts, and
- f) erection of guard-rail.

**Item 62952 Supply and install [qty] metres steel beam guard rail, thrie beam**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply of all materials
- c) fabrication of components
- d) galvanising of components
- e) installation of posts, and
- f) erection of guard-rail.

**Item 62953 Supply and install steel beam guard rail, terminal type [number]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply of all materials
- c) fabrication of components
- d) galvanising of components
- e) installation of posts
- f) installation of anchor cable assembly
- g) erection of guardrail, and
- h) supply and installation of TC 1151 signs.

**Item 62954 Supply and install steel beam guard rail, transition type [number]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply of all materials
- c) fabrication of components
- d) galvanising of components
- e) installation of connector brackets
- f) installation of posts, and
- g) erection of guardrail.

**Item 62981 Supply of Vehicle Activated Sign pole, [length] metres long, [with | without] pole mounted cabinet brackets**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply and fabrication of Vehicle Activated Sign pole and pole adaptor

- c) supply of all fixing bolts, nuts and washers as appropriate, and
- d) for a pole to be fitted with a pole mounted cabinet, include supply and fabrication of pole mounted cabinet brackets.

**Item 62982 Installation of Vehicle Activated Sign hinge pole**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply and installation of spigot hatchway and ground access hatchway terminal strips, if applicable
- c) supply and installation of pole mounted surge / lightning protection equipment, if applicable
- d) for Vehicle Activated Sign poles with pole mounted cabinets, supply and installation of all internal cabling from pole mounted cabinet to spigot hatchway terminal strip and all connectors, bushings, lugs, bolts, nuts and washers as appropriate
- e) for Vehicle Activated Sign poles with ground mounted cabinets, supply and installation of all internal cabling from ground access hatchway terminal strip to spigot hatchway terminal strip and all connectors, bushings, lugs, bolts, nuts and washers as appropriate
- f) installation of pole including pole adaptor on footing
- g) mortar grouting of base plate
- h) flush finish and ground compaction of surrounding surface
- i) top dressing and turfing of the compacted surface
- j) supply of hinge pole operation instruction manuals, and
- k) testing of installation by raising and lowering the hinge pole when fitted with a test weight exceeding the maximum complete load weight of the sign.

**Item 62983 Supply and installation of [*hinged*] pole, [*length*] metres long**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply and fabrication of vehicle activated sign pole and pole adaptor
- c) supply of all fixing bolts, nuts and washers as appropriate
- d) installation of pole on footing
- e) mortar grouting of base plate
- f) flush finish and ground compaction of surrounding surface
- g) top dressing and turfing of the compacted surface
- h) for a pole to be fitted with a pole mounted cabinet include the supply and fabrication of pole mounted cabinet brackets
- i) supply and installation of spigot hatchway and ground access hatchway terminal strips, if applicable
- j) supply and installation of pole mounted surge / lightning protection equipment, if applicable



- k) for Vehicle Activated Sign poles with pole mounted sign control assembly box, supply and installation of all internal cabling from pole mounted cabinet to spigot hatchway terminal strip and all connectors, bushings, lugs, bolts, nuts and washers as appropriate
- l) for Vehicle Activated Sign poles with ground mounted sign control assembly box, supply and installation of all internal cabling from ground access hatchway terminal strip to spigot hatchway terminal strip and all connectors, bushings, lugs, bolts, nuts and washers as appropriate
- m) supply of hinge pole operation instruction manuals and supply of the cabling diagrams and test reports, and
- n) testing of installation by raising and lowering the hinge pole when fitted with a test weight exceeding the maximum complete load weight of the sign.

**Item 63011      Supply of [Type 1 | Type 2a | Type 2b | Type 2c | Type 2d | Type 2e | Type 2f | Type 2g | Type 2h | Type 2i | Type 2j | Type 2k] sign and ancillary components**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) manufacture or supply of type approved [Type 1 | Type 2a | Type 2b | Type 2c | Type 2d | Type 2e | Type 2f | Type 2g | Type 2h | Type 2i | Type 2j | Type 2k] and ancillary components
- c) factory acceptance test as functional testing of the electrical supply system
- d) factory acceptance tests as functional testing of the sign operation
- e) completion of the first maintenance performance records
- f) packaging and delivery of a type approved [Type 1 | Type 2a | Type 2b | Type 2c | Type 2d | Type 2e | Type 2f | Type 2g | Type 2h | Type 2i | Type 2j | Type 2k] and ancillary components to site, and
- g) handover of all documentation and records to the Administrator.

**Item 63012      Installation of [Type 1 | Type 2a | Type 2b | Type 2c | Type 2d | Type 2e | Type 2f | Type 2g | Type 2h | Type 2i | Type 2j | Type 2k] sign and ancillary components**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) Installation of a type approved [Type 1 | Type 2a | Type 2b | Type 2c | Type 2d | Type 2e | Type 2f | Type 2g | Type 2h | Type 2i | Type 2j | Type 2k] and ancillary components as per the accepted design for that site
- c) maintenance testing of installation by raising and lowering the hinge pole when fitted with complete load weight of the sign
- d) functional testing of the electrical supply system
- e) functional testing of the sign operation
- f) completion of the first maintenance performance records, and
- g) handover of all documentation and records to the Administrator.

**Item 63013      Supply and Installation of [Type 1 | Type 2a | Type 2b | Type 2c | Type 2d | Type 2e | Type 2f | Type 2g | Type 2h | Type 2i | Type 2j | Type 2k] sign and ancillary components**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply and installation of a type approved [Type 1 | Type 2a | Type 2b | Type 2c | Type 2d | Type 2e | Type 2f | Type 2g | Type 2h | Type 2i | Type 2j | Type 2k] School Zone Sign and ancillary components as per the accepted design for that site
- c) maintenance testing of installation by raising and lowering the hinge pole when fitted with complete load weight of the sign
- d) for type three sign the installation and testing of the external radar unit
- e) functional testing of the electrical supply system
- f) functional testing of the sign operation
- g) completion of the first maintenance performance records, and
- h) handover of all documentation and records to the Administrator.

**Item 63091      Removal and salvage of road furniture, as listed in Clause 1.1 of Annexure MRTS14.1**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) carrying out excavation where necessary
- c) careful dismantling and removal of existing road furniture as listed
- d) demolition of any agreed non-salvageable part of the existing installation
- e) utilising or disposing of excavated and demolished material
- f) transporting salvaged material to storage site
- g) safe storage of salvaged material at storage site, and
- h) backfilling and finishing resulting excavations.

**Item 63092      Removal of Vehicle Activated Sign pole, [including | not including] sign, [for salvage | for disposal]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) de-energisation and making safe power supply
- c) removal of vehicle activated sign including associated components, as appropriate
- d) removal of pole, pole adaptor and all internal cabling and associated components, as appropriate

- e) for equipment to be salvaged:
  - i. dismantling of equipment, where appropriate, and
  - ii. transporting of all components to designated storage facility or another station for re-use.
- f) for equipment to be disposed:
  - i. disposal of components.

**Item 63093 Removal of Vehicle Activated Sign pole footing**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) removal of footing
- c) disposal of footing
- d) backfilling of hole and ground compaction, and
- e) top dressing and turfing of the compacted hole.

**2.3 Method of measurement of Vehicle Activated Sign components**

This Specification provides Standard Work Items for:

- a) supply only, or
- b) installation only, or
- c) supply and installation

of Vehicle Activated Sign components.

Any combination of Standard Work Items relating to these methods of measurement may be used in the schedule of rates. However, where a Standard Work Item for supply and installation of a particular component or group of components is included in the schedule of rates, no supply only nor installation only Standard Work Item shall also apply to that component or group of components, as applicable.

**2.4 Supply of Materials**

Any materials to be supplied by the Principal will be as stated in the Form C7827 *Principal Supplied Material List*. All other material shall be supplied by the Contractor.

The responsibility for transport to the Site of materials supplied by the Principal shall be as stated in the Form C7827 *Principal Supplied Material List*. Transport to the Site of all other materials shall be the responsibility of the Contractor.

